ELSEVIER

Hearing Research 173 (2002) 210–211

HEARING RESEARCH

www.elsevier.com/locate/heares

Author Index Volume 173

Altschuler, R.A., see Fairfield, D.A. (173) 109
Antonucci, P.G., see Rabinowitz, P.M. (173) 164

Bagger-Sjöbäck, D., see Laurell, G. (173) 198
Bibikov, N.G.
Addition of noise enhances neural synchrony to amplitude-modulated sounds in the frog's midbrain (173) 21

Ding, D., McFadden, S.L., Woo, J.M. and Salvi, R.J.
Ethacrynic acid rapidly and selectively abolishes blood flow in vessels supplying the lateral wall of the cochlea (173) 1

Eggermont, J.J., see Seki, S. (173) 172
Eksborg, S., see Laurell, G. (173) 198

Fairfield, D.A., Kanicki, A.C., Lomax, M.I. and Altschuler, R.A.
Expression and localization of heat shock factor (Hsf) 1 in the rodent cochlea (173) 109
Ferrary, E., see Laurell, G. (173) 198
Fujihira, K., see Tabuchi, K. (173) 153
Furness, D.N., Karkanevatos, A., West, B. and Hackney, C.M.
An immunogold investigation of the distribution of calmodulin in the apex of cochlear hair cells (173) 10

Galiani, D.L., see Shaia, W.T. (173) 82

Hackney, C.M., see Furness, D.N. (173) 10
Hara, A., see Tabuchi, K. (173) 153
Haslwanter, T., see Jaeger, R. (173) 29
Heller, A.J., see Shaia, W.T. (173) 82
Heller, A.J., Stanley, C., Shaia, W.T., Sismanis, A., Spencer, R.F. and Wolf, B.
Localization of biotinidase in the brain: implications for its role in hearing loss in biotinidase deficiency (173) 62
Hur Mobo, B., see Rabinowitz, P.M. (173) 164

Ishimoto, S.-i., Kawamoto, K., Kanzaki, S. and Raphael, Y.
Gene transfer into supporting cells of the organ of Corti (173) 187

Jaeger, R., Takagi, A. and Haslwanter, T.
Modeling the relation between head orientations and otolith responses in humans (173) 29

Kanicki, A.C., see Fairfield, D.A. (173) 109
Kanzaki, S., see Ishimoto, S.-i. (173) 187
Karkanevatos, A., see Furness, D.N. (173) 10
Kawamoto, K., see Ishimoto, S.-i. (173) 187
Kusakari, J., see Tabuchi, K. (173) 153

Laurell, G., Teixeira, M., Sterkers, O., Bagger-Sjöbäck, D., Eksborg, S., Lidman, O. and Ferrary, E.
Local administration of antioxidants to the inner ear. Kinetics and distribution[1] (173) 198
Lidman, O., see Laurell, G. (173) 198
Lomax, M.I., see Fairfield, D.A. (173) 109

Mason, M.J., see van Dijk, P. (173) 100
McFadden, S.L., see Ding, D. (173) 1
McMahon, C.M. and Patuzzi, R.B.
The origin of the 900 Hz spectral peak in spontaneous and sound-evoked round-window electrical activity (173) 134
Moore, D.R., see Russell, F.A. (173) 43

Narins, P.M., see van Dijk, P. (173) 100

Oikawa, K., see Tabuchi, K. (173) 153

Patuzzi, R.B., see McMahon, C.M. (173) 134
Pierce Wise Sr., J., see Rabinowitz, P.M. (173) 164
Powell, C., see Rabinowitz, P.M. (173) 164

Rabinowitz, P.M., Pierce Wise Sr., J., Hur Mobo, B., Antonucci, P.G., Powell, C. and Slade, M.
Antioxidant status and hearing function in noise-exposed workers (173) 164
Raphael, Y., see Ishimoto, S.-i. (173) 187
Russell, F.A. and Moore, D.R.
Ultrastructural transynaptic effects of unilateral cochlear ablation in the gerbil medial superior olive (173) 43

Salvi, R.J., see Ding, D. (173) 1
Seki, S. and Eggermont, J.J.
Changes in cat primary auditory cortex after minor-to-moderate pure-tone induced hearing loss (173) 172
Sekiya, T., Shimamura, N., Yagihashi, A. and Suzuki, S.
Axonal injury in auditory nerve observed in reversible latency changes of brainstem auditory evoked potentials (BAEP) during cerebellopontine angle manipulations in rats (173) 91
Shaia, W.T., see Heller, A.J. (173) 62
Shaia, W.T., Shapiro, S.M., Heller, A.J., Galiani, D.L., Sismanis, A. and Spencer, R.F.
Immunohistochemical localization of calcium-binding proteins in the brainstem vestibular nuclei of the jaundiced Gunn rat (173) 82
Shapiro, S.M., see Shaia, W.T. (173) 82
Shimamura, N., see Sekiya, T. (173) 91
Shofner, W.P.
Perception of the periodicity strength of complex sounds by the chinchilla (173) 69
Sismanis, A., see Heller, A.J. (173) 62
Sismanis, A., see Shaia, W.T. (173) 82
Slade, M., see Rabinowitz, P.M. (173) 164
Spencer, R.F., see Heller, A.J. (173) 62
Spencer, R.F., see Shaia, W.T. (173) 82
Stanley, C., see Heller, A.J. (173) 62
Sterkers, O., see Laurell, G. (173) 198
Stevens, H.E. and Wickesberg, R.E.
Representation of whispered word-final stop consonants in the auditory nerve (173) 119

PII: S0378-5955(02)00686-X

Suzuki, S., see Sekiya, T. (173) 91

Tabuchi, K., Tsuji, S., Fujihira, K., Oikawa, K., Hara, A. and Kusakari, J.
Outer hair cells functionally and structurally deteriorate during reperfusion (173) 153
Takagi, A., see Jaeger, R. (173) 29
Teixeira, M., see Laurell, G. (173) 198
Tsuji, S., see Tabuchi, K. (173) 153

van Dijk, P., Mason, M.J. and Narins, P.M.
Distortion product otoacoustic emissions in frogs: correlation with middle and inner ear properties (173) 100

West, B., see Furness, D.N. (173) 10
Wickesberg, R.E., see Stevens, H.E. (173) 119
Wolf, B., see Heller, A.J. (173) 62
Woo, J.M., see Ding, D. (173) 1

Yagihashi, A., see Sekiya, T. (173) 91

ELSEVIER

Hearing Research 173 (2002) 212–215

HEARING RESEARCH

www.elsevier.com/locate/heares

Subject Index Volume 173

Adaptation
Amplitude modulation; Torus semicircularis; Stochastic resonance; Circle histogram; Inferior colliculus (Bibikov, N.G. (173) 21)

Adenovirus
Gene transfer; Supporting cell; Cochlea; Guinea pig (Ishimoto, S.-i. (173) 187)

Amphibia
Distortion product otoacoustic emission; Hearing; Frog; Inner ear (van Dijk, P. (173) 100)

Amplitude modulation
Torus semicircularis; Adaptation; Stochastic resonance; Circle histogram; Inferior colliculus (Bibikov, N.G. (173) 21)

β-amyloid precursor protein
Axonal injury; Auditory nerve; Brainstem auditory evoked potential; Hearing; Intraoperative monitoring (Sekiya, T. (173) 91)

Antioxidant
Hearing loss; Noise-induced; Glutathione *S*-transferase; Polymorphism; Vitamin C; Vitamin E (Rabinowitz, P.M. (173) 164)

Auditory
Biotinidase; Biotinidase deficiency; Hearing; Hearing loss; Deafness; Sensorineural; Immunohistochemistry (Heller, A.J. (173) 62)

Auditory brainstem
Ultrastructure; Cochlear ablation; Synaptic plasticity (Russell, F.A. (173) 43)

Auditory nerve
Axonal injury; β-amyloid precursor protein; Brainstem auditory evoked potential; Hearing; Intraoperative monitoring (Sekiya, T. (173) 91)

Consonant; Chinchilla; Speech (Stevens, H.E. (173) 119)

Autoradiography
Pharmacokinetics; Scavenger; Scala tympani perilymph; Lateral wall (Laurell, G. (173) 198)

Axonal injury
Auditory nerve; β-amyloid precursor protein; Brainstem auditory evoked potential; Hearing; Intraoperative monitoring (Sekiya, T. (173) 91)

Balance
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Posture; Gaze; Gunn rat; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Biotinidase
Biotinidase deficiency; Auditory; Hearing; Hearing loss; Deafness; Sensorineural; Immunohistochemistry (Heller, A.J. (173) 62)

Biotinidase deficiency
Biotinidase; Auditory; Hearing; Hearing loss; Deafness; Sensorineural; Immunohistochemistry (Heller, A.J. (173) 62)

Brainstem auditory evoked potential
Axonal injury; Auditory nerve; β-amyloid precursor protein; Hearing; Intraoperative monitoring (Sekiya, T. (173) 91)

Calbindin-D28k
Parvalbumin; Vestibulo-ocular; Vestibulospinal; Posture; Balance; Gaze; Gunn rat; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Calmodulin
Mechanoelectrical transduction; Stereocilium; Hair cell; Cochlea (Furness, D.N. (173) 10)

Cat
Single unit; Primary auditory cortex; Pure-tone trauma; Topographic map; Functional reorganization (Seki, S. (173) 172)

Chinchilla
Loop diuretic; Microcirculation; Ischemia; Stria vascularis; Ototoxicity; Free radical (Ding, D. (173) 1)

Auditory nerve; Consonant; Speech (Stevens, H.E. (173) 119)

Circle histogram
Amplitude modulation; Torus semicircularis; Adaptation; Stochastic resonance; Inferior colliculus (Bibikov, N.G. (173) 21)

Cochlea
Calmodulin; Mechanoelectrical transduction; Stereocilium; Hair cell (Furness, D.N. (173) 10)

Rat; Mouse; Heat shock; Heat shock factor; Hsf (Fairfield, D.A. (173) 109)

Gene transfer; Supporting cell; Guinea pig; Adenovirus (Ishimoto, S.-i. (173) 187)

Cochlear ablation
Ultrastructure; Auditory brainstem; Synaptic plasticity (Russell, F.A. (173) 43)

PII: S0378-5955(02)00687-1

Cochlear potential
Outer hair cell; Ischemia; Reperfusion; Hydroxyl radical (Tabuchi, K. (173) 153)

Consonant
Auditory nerve; Chinchilla; Speech (Stevens, H.E. (173) 119)

Deafness
Biotinidase; Biotinidase deficiency; Auditory; Hearing; Hearing loss; Sensorineural; Immunohistochemistry (Heller, A.J. (173) 62)

Distortion product otoacoustic emission
Hearing; Amphibia; Frog; Inner ear (van Dijk, P. (173) 100)

Finite element
Otolith; Utricle; Saccule; Vestibular; Simulation; Modeling (Jaeger, R. (173) 29)

Free radical
Loop diuretic; Microcirculation; Ischemia; Stria vascularis; Ototoxicity; Chinchilla (Ding, D. (173) 1)

Frog
Distortion product otoacoustic emission; Hearing; Amphibia; Inner ear (van Dijk, P. (173) 100)

Functional reorganization
Single unit; Cat; Primary auditory cortex; Pure-tone trauma; Topographic map (Seki, S. (173) 172)

Gaze
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Posture; Balance; Gunn rat; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Gene transfer
Supporting cell; Cochlea; Guinea pig; Adenovirus (Ishimoto, S.-i. (173) 187)

Glutathione *S*-transferase
Hearing loss; Noise-induced; Polymorphism; Vitamin C; Vitamin E; Antioxidant (Rabinowitz, P.M. (173) 164)

Guinea pig
Gene transfer; Supporting cell; Cochlea; Adenovirus (Ishimoto, S.-i. (173) 187)

Gunn rat
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Posture; Balance; Gaze; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Hair cell
Calmodulin; Mechanoelectrical transduction; Stereocilium; Cochlea (Furness, D.N. (173) 10)

Hearing
Biotinidase; Biotinidase deficiency; Auditory; Hearing loss; Deafness; Sensorineural; Immunohistochemistry (Heller, A.J. (173) 62)

Axonal injury; Auditory nerve; β-amyloid precursor protein; Brainstem auditory evoked potential; Intraoperative monitoring (Sekiya, T. (173) 91)

Distortion product otoacoustic emission; Amphibia; Frog; Inner ear (van Dijk, P. (173) 100)

Hearing loss
Biotinidase; Biotinidase deficiency; Auditory; Hearing; Deafness; Sensorineural; Immunohistochemistry (Heller, A.J. (173) 62)

Noise-induced; Glutathione *S*-transferase; Polymorphism; Vitamin C; Vitamin E; Antioxidant (Rabinowitz, P.M. (173) 164)

Heat shock
Cochlea; Rat; Mouse; Heat shock factor; Hsf (Fairfield, D.A. (173) 109)

Heat shock factor
Cochlea; Rat; Mouse; Heat shock; Hsf (Fairfield, D.A. (173) 109)

Hsf
Cochlea; Rat; Mouse; Heat shock; Heat shock factor (Fairfield, D.A. (173) 109)

Hydroxyl radical
Outer hair cell; Cochlear potential; Ischemia; Reperfusion (Tabuchi, K. (173) 153)

Hyperbilirubinemia
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Posture; Balance; Gaze; Gunn rat; Jaundice; Kernicterus (Shaia, W.T. (173) 82)

Immunohistochemistry
Biotinidase; Biotinidase deficiency; Auditory; Hearing; Hearing loss; Deafness; Sensorineural (Heller, A.J. (173) 62)

Inferior colliculus
Amplitude modulation; Torus semicircularis; Adaptation; Stochastic resonance; Circle histogram (Bibikov, N.G. (173) 21)

Inner ear
Distortion product otoacoustic emission; Hearing; Amphibia; Frog (van Dijk, P. (173) 100)

Intraoperative monitoring
Axonal injury; Auditory nerve; β-amyloid precursor protein; Brainstem auditory evoked potential; Hearing (Sekiya, T. (173) 91)

Ischemia
Loop diuretic; Microcirculation; Stria vascularis; Ototoxicity; Free radical; Chinchilla (Ding, D. (173) 1)

Outer hair cell; Cochlear potential; Reperfusion; Hydroxyl radical (Tabuchi, K. (173) 153)

Jaundice
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Posture; Balance; Gaze; Gunn rat; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Kernicterus
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Posture; Balance; Gaze; Gunn rat; Jaundice; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Lateral olivocochlear system of efferent neurones
Tinnitus; Round-window potential; Membrane resonance; Salicylate (McMahon, C.M. (173) 134)

Lateral wall
Pharmacokinetics; Autoradiography; Scavenger; Scala tympani perilymph (Laurell, G. (173) 198)

Loop diuretic
Microcirculation; Ischemia; Stria vascularis; Ototoxicity; Free radical; Chinchilla (Ding, D. (173) 1)

Mechanoelectrical transduction
Calmodulin; Stereocilium; Hair cell; Cochlea (Furness, D.N. (173) 10)

Membrane resonance
Tinnitus; Round-window potential; Salicylate; Lateral olivocochlear system of efferent neurones (McMahon, C.M. (173) 134)

Microcirculation
Loop diuretic; Ischemia; Stria vascularis; Ototoxicity; Free radical; Chinchilla (Ding, D. (173) 1)

Modeling
Otolith; Utricle; Saccule; Vestibular; Simulation; Finite element (Jaeger, R. (173) 29)

Mouse
Cochlea; Rat; Heat shock; Heat shock factor; Hsf (Fairfield, D.A. (173) 109)

Noise-induced
Hearing loss; Glutathione *S*-transferase; Polymorphism; Vitamin C; Vitamin E; Antioxidant (Rabinowitz, P.M. (173) 164)

Otolith
Utricle; Saccule; Vestibular; Simulation; Modeling; Finite element (Jaeger, R. (173) 29)

Ototoxicity
Loop diuretic; Microcirculation; Ischemia; Stria vascularis; Free radical; Chinchilla (Ding, D. (173) 1)

Outer hair cell
Cochlear potential; Ischemia; Reperfusion; Hydroxyl radical (Tabuchi, K. (173) 153)

Parvalbumin
Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Posture; Balance; Gaze; Gunn rat; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Pharmacokinetics
Autoradiography; Scavenger; Scala tympani perilymph; Lateral wall (Laurell, G. (173) 198)

Polymorphism
Hearing loss; Noise-induced; Glutathione *S*-transferase; Vitamin C; Vitamin E; Antioxidant (Rabinowitz, P.M. (173) 164)

Posture
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Vestibulospinal; Balance; Gaze; Gunn rat; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Primary auditory cortex
Single unit; Cat; Pure-tone trauma; Topographic map; Functional reorganization (Seki, S. (173) 172)

Pure-tone trauma
Single unit; Cat; Primary auditory cortex; Topographic map; Functional reorganization (Seki, S. (173) 172)

Rat
Cochlea; Mouse; Heat shock; Heat shock factor; Hsf (Fairfield, D.A. (173) 109)

Reperfusion
Outer hair cell; Cochlear potential; Ischemia; Hydroxyl radical (Tabuchi, K. (173) 153)

Round-window potential
Tinnitus; Membrane resonance; Salicylate; Lateral olivocochlear system of efferent neurones (McMahon, C.M. (173) 134)

Saccule
Otolith; Utricle; Vestibular; Simulation; Modeling; Finite element (Jaeger, R. (173) 29)

Salicylate
Tinnitus; Round-window potential; Membrane resonance; Lateral olivocochlear system of efferent neurones (McMahon, C.M. (173) 134)

Scala tympani perilymph
Pharmacokinetics; Autoradiography; Scavenger; Lateral wall (Laurell, G. (173) 198)

Scavenger
Pharmacokinetics; Autoradiography; Scala tympani perilymph; Lateral wall (Laurell, G. (173) 198)

Sensorineural
Biotinidase; Biotinidase deficiency; Auditory; Hearing; Hearing loss; Deafness; Immunohistochemistry (Heller, A.J. (173) 62)

Simulation
Otolith; Utricle; Saccule; Vestibular; Modeling; Finite element (Jaeger, R. (173) 29)

Single unit
Cat; Primary auditory cortex; Pure-tone trauma; Topographic map; Functional reorganization (Seki, S. (173) 172)

Speech
Auditory nerve; Consonant; Chinchilla (Stevens, H.E. (173) 119)

Stereocilium
Calmodulin; Mechanoelectrical transduction; Hair cell; Cochlea (Furness, D.N. (173) 10)

Stochastic resonance
Amplitude modulation; Torus semicircularis; Adaptation; Circle histogram; Inferior colliculus (Bibikov, N.G. (173) 21)

Stria vascularis
Loop diuretic; Microcirculation; Ischemia; Ototoxicity; Free radical; Chinchilla (Ding, D. (173) 1)

Supporting cell
Gene transfer; Cochlea; Guinea pig; Adenovirus (Ishimoto, S.-i. (173) 187)

Synaptic plasticity
Ultrastructure; Auditory brainstem; Cochlear ablation (Russell, F.A. (173) 43)

Tinnitus
Round-window potential; Membrane resonance; Salicylate; Lateral olivocochlear system of efferent neurones (McMahon, C.M. (173) 134)

Topographic map
Single unit; Cat; Primary auditory cortex; Pure-tone trauma; Functional reorganization (Seki, S. (173) 172)

Torus semicircularis
Amplitude modulation; Adaptation; Stochastic resonance; Circle histogram; Inferior colliculus (Bibikov, N.G. (173) 21)

Ultrastructure
Auditory brainstem; Cochlear ablation; Synaptic plasticity (Russell, F.A. (173) 43)

Utricle
Otolith; Saccule; Vestibular; Simulation; Modeling; Finite element (Jaeger, R. (173) 29)

Vestibular
Otolith; Utricle; Saccule; Simulation; Modeling; Finite element (Jaeger, R. (173) 29)

Vestibulo-ocular
Parvalbumin; Calbindin-D28k; Vestibulospinal; Posture; Balance; Gaze; Gunn rat; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Vestibulospinal
Parvalbumin; Calbindin-D28k; Vestibulo-ocular; Posture; Balance; Gaze; Gunn rat; Jaundice; Kernicterus; Hyperbilirubinemia (Shaia, W.T. (173) 82)

Vitamin C
Hearing loss; Noise-induced; Glutathione *S*-transferase; Polymorphism; Vitamin E; Antioxidant (Rabinowitz, P.M. (173) 164)

Vitamin E
Hearing loss; Noise-induced; Glutathione *S*-transferase; Polymorphism; Vitamin C; Antioxidant (Rabinowitz, P.M. (173) 164)